

# Database Design

.

# Core Database Design Steps

- Conceptual design ← Our focus in this Chapter
  - Construct a description of the information used in an enterprise
  - *Focus on documenting customer intention, disregard technology*
  
- Logical design
  - Construct a description based on a specific data model (e.g., relational)
  - *Focus on abstract tech, disregard implementation*
  
- Physical design
  - Describe implementation using a particular DBMS, file structures, indexes, security, ...


# Issues in Conceptual Design

- Conceptual design: (we use ER Model at this stage)
  - What are the **entities** and **relationships** in the enterprise?
  - What **information about** these entities and relationships should we store in the database?
  - What are the **integrity constraints** or **business rules** that hold?
- database `schema' in the ER Model represented pictorially = **ER diagrams**
  - Can map an ER diagram into a relational schema
  - Actually lack of textual equivalent is shortcoming
  - ... also: no formal semantics (originally)

# Entity-Relationship Model: Basics


- **Entity:** Real-world object distinguishable from other objects

- entity described (in DB) using a set of attributes
- Simple **attribute values** (strings, numbers)





- **Entity set:** collection of similar entities

- E.g., all employees
- All entities in an entity set have the same set of attributes
  - *Until we consider ISA hierarchies, anyway!*
- Each entity set has a **key**
- Each attribute has a **domain** = data type



# ER Model Basics (Contd.)


- **Relationship:** (unique!) association among two or more entities
  - E.g., Attishoo **works\_in** Pharmacy department
- **Relationship Set:** Collection of similar relationships
  - An **n-ary** (binary, ternary, ...) relationship set  $R$  relates  $n$  entity sets  $E_1 \dots E_n$
  - each relationship in  $R$  involves entities  $e_1 \in E_1, \dots, e_n \in E_n$
  - Same entity set can participate in different relationship sets, or even in the same set (but then in different **roles**)



# Constraints

- Used to capture more application semantics
- ...on relationship sets:
  - Key constraints (multiplicities)
- ...on entity sets:
  - Participation constraints


# Key Constraints: Multiplicity (contd)



## ■ Multiplicity classification:


■ One-to-one

"1:1"





■ One-to-many

"1:n"




■ Many-to-many

"m:n"



# More Detail Wanted!

- Want to refine further: *how many connections on each leg of relship?*
- Attach intervals to leg:




- Read as:
  - „an Employee sees, through its Manages tunnel, none or one Department“
  - „a Department sees, through its Works\_In tunnel, at least one Employee“




# Notation Variants: Multiplicity

*forget this slide!*




x:1 a la Ramakrishnan/Gehrke



1:x a la Ramakrishnan/Gehrke

*My personal preference – allows for more details*





0:1

1:1

0:n

1:n




*...plus many more*

# Citing a Similar Discussion by Bernhard Reus (U of Sussex)

forget this slide!

## Multiplicity (Example)

*Each branch is managed by (exactly) one member of staff.  
A member of staff can manage (at least) zero or (at most) one branch.*




# Citing a Similar Discussion by Bernhard Reus (U of Sussex)

*forget this slide!*

## Which side are you on?


- **Attention:** In the literature the multiplicity constraints are sometimes swapped like that: (don't get confused)



We stick to convention on previous slide  
(UML).

# Participation Constraints

- Does *every* department have a manager?
- Entity set E is **total** wrt. relationship set R  
:⇔ all E entities participate in R
- Entity set E is **partial** wrt. relationship set R  
:⇔ some E entities do not participate in R




# Relationships Example

- Schema:



- Instances:




- Uniqueness?
- Multiplicities?
- Participation?

# Weak Entities

*forget this slide!*

- **weak entity**: identified uniquely only by considering the primary key of another (**owner**) entity
- Owner entity set and weak entity set must participate in a **one-to-many** relationship set (one owner, many weak entities)
- Weak entity set must have **total participation** in identifying relationship set (no identification of its own!)



# ISA ('is a') Hierarchies

- **A ISA B**: every A entity is also a B entity ("A inherits from B")


- A entities have attributes like B entities have, plus maybe more
- A is called **subclass**, B **superclass**

- Purpose:

- add attributes specific to a subclass
- identify specific entities that participate in a relationship

- Constraints:

- **Overlap constraints**: Can Joe be an Hourly\_Emps as well as a Contract\_Emps entity? (Allowed/disallowed)
- **Covering constraints**: Does every Employees entity also have to be an Hourly\_Emps or a Contract\_Emps entity? (Yes/no)




# Aggregation

- **Aggregation** = relationship involving (entity sets and) a relationship set
- Aggregation allows us to **treat a relationship set as an entity set** for purposes of participation in (other) relationships

- Aggregation vs. ternary relationship:

- Monitors is a distinct relationship, with a descriptive attribute
- each sponsorship is monitored by at most one employee





# Conceptual Design Using the ER Model

- Design choices:
  - concept modeled as entity or attribute?
  - concept modeled as entity or relationship?
  - Identifying relationships: Binary or ternary? Aggregation?
- Constraints in the ER Model:
  - A lot of data semantics can (and should) be captured
  - But some constraints cannot be captured in ER diagrams – *comment your design!*
- *Let's see...*

# Summary of ER

- ER model popular for conceptual design
  - simple & expressive
  - close to the way people think about their applications
- Basic constructs:  
**entities** and **relationships**, both with **attributes**
- Some additional constructs:  
**weak entities**, **ISA hierarchies**, and **aggregation**
- Note: There are many variations on ER model

# Summary of ER (Contd.)

- Several kinds of integrity constraints can be expressed in the ER model
  - key constraints
  - participation constraints
  - overlap/covering constraints for ISA hierarchies
- Some foreign key constraints implicit in definition of a relationship set
  - Some (actually: many) constraints cannot be expressed in the ER model
    - *notably, functional dependencies*
  - But: constraints play an important role in determining the best database design

# Summary of ER (Contd.)

- ER design is subjective
  - often many ways to model a given scenario
  - When in doubt (and not only then), ask customer how they will query their data – this usually gives valuable insights
  - Analyzing alternatives can be tricky, esp. large schemas (SAP R/3: 15,000 tables!)
- Common choices include:
  - Entity vs. attribute, entity vs. relationship, binary or n-ary relationship
  - whether or not to use ISA hierarchies, whether or not to use aggregation
- Ensuring good database design: resulting relational schema should be analyzed and refined further → logical design phase
  - Functional dependency information, normalization techniques

# UML™

[not in DBMS book, see course website]


- UML = **Unified Modeling Language** [[www.uml.org](http://www.uml.org)]
  - Issued by OMG [Object Management Group, [www.omg.org](http://www.omg.org)]
- "UML is a **graphical language** for visualizing, specifying, constructing, and documenting the artifacts of a software-intensive system."
  - does not prescribe particular methodology or process
- Notation & semantics for domains:
  - Use Case Model; Communication Model; Dynamic Model; **Class Model**; **Physical Component Model**; **Physical Deployment Model**
- Much more comprehensive than ER!

# Classes

- **Class Model** at the core of object-oriented development and design
- Naming: **instance** (ER: entity) belongs to **class** (ER: entity set)

- Attributes and methods may be marked as:

- **Private** -- not visible to callers outside the class
- **Protected** -- only visible to children of the class
- **Public** -- visible to all




# Relationships & Class Diagrams

- Relationship types:
  - **association** ("must know about the other")
  - **aggregation / composition** (class belongs to a collection)
  - **generalization** (one class is a superclass of the other)

- Navigability arrows


- Multiplicity

- Role names (optional)



# Components and Deployment Diagrams


- **Component** = code module
- **Deployment diagram** = physical configuration of software and hardware





# Excursion: UML Physical DB Modelling

- Some relational constructs that can be expressed:
  - primary key constraint (PK), foreign key constraint (FK), index constraint (Index), trigger (Trigger), uniqueness constraint (Unique), stored procedure (Proc), validity check (Check)



A Node is a physical piece of hardware (such as a Unix server) on which components are deployed. The database component in this example is also mapped to two logical «schema», each of which contains a number of tables.